

BOND

PORCELAIN TILE

tilebar
DESIGN. PRICE. EXPERIENCE.

Who We Are



We are a company of leaders in unique architectural surfaces ranging from porcelain, ceramic, natural stone, glass, water-jet mosaics, and luxury vinyl tile. Our passion to be the ultimate design resource is what drives our brand and commits us to partnering with designers and our customers on a real and meaningful level.

THE TILEBAR DIFFERENCE

Our team of experts focus on the values of creativity and integrity so that our partnership, throughout its lifetime, will be invaluable as a design resource. We provide product knowledge, practical and stylish solutions, industry trends, quality service, and endless inspiration.

OUR MISSION

**INSPIRE, PROMOTE, SERVICE,
CELEBRATE GREAT DESIGN™**

BOND

Porcelain Tiles

The Bond Collection combines a modern metallic gleam with the opaque marks of age and oxidation to create this ultimate expression of urban chic. This large-format porcelain is offered in 5 stunning neutral shades, along with 3 vibrant colors that introduce a contemporary, unconventional touch.



Color range



Bond Nimbus 24x48



Bond Viridum 12x24



Bond Excalibur 48x48

Bond Indio 24x48




Bond Venom 24x24



Bond
Palladium

6mm



48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")



Bullnose Base
3"x31.5"




Bullnose Base
3"x24"



Bond
Nimbus

6mm



48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")




Bullnose Base
3"x31.5"



Bullnose Base
3"x24"

Bond Excalibur

6mm




48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")




Bullnose Base
3"x31.5"



Bullnose Base
3"x24"

Bond King

6mm




48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")



Bullnose Base
3"x31.5"




Bullnose Base
3"x24"



Bond Venom

6mm




48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")



Bullnose Base
3"x31.5"




Bullnose Base
3"x24"



Bond Afterglow

6mm




48"x110"

9mm



48"x48"



24"x48"



31.5"x31.5"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")



Bullnose Base
3"x31.5"




Bullnose Base
3"x24"



Bond
Pumpkin

9mm



24"x48"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")



Bullnose Base
3"x31.5"




Bullnose Base
3"x24"



Bond
Viridium

9mm



24"x48"



24"x24"



12"x24"



6"x24"



36T Mosaic
(12"x12")



Plume
(12"x12")



Foliage
(12.75"x12")




Bullnose Base
3"x31.5"



Bullnose Base
3"x24"

Bond
Indio

9mm



Bond Palladium 24x24



TECHNICAL DATA		STANDARD	INTERNATIONAL STANDARDS	TEST RESULTS
	SIDES	EN ISO 10545-2	± 0,3% MAX (± 1.0 mm MAX)	COMPLYING
	THICKNESS	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	COMPLYING
	STRAIGHTNESS OF SIDES	EN ISO 10545-2	± 0,3% MAX (± 0.8 mm MAX)	COMPLYING
	RECTANGULARITY	EN ISO 10545-2	± 0,3% MAX (± 1.5 mm MAX)	COMPLYING
	SURFACE FLATNESS	EN ISO 10545-2	± 0,4% MAX (± 1.8 mm MAX)	COMPLYING
	WATER ABSORPTION	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	FLEXION RESISTANCE	EN ISO 10545-4	S ≥ 700 N (< 7.5 mm) S ≥ 1.300 N (> 7.5 mm) R ≥ 35 N/mm²	≧ 6 mm: S ≥ 1100 N R ≥ 48 N/mm² ≧ 9 mm: S ≥ 2.400 N R ≥ 48 N/mm²
	IMPACT RESISTANCE	EN ISO 10545-5	DECLARED VALUE	> 0.80
	ABRASION RESISTANCE	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	COEFFICIENT OF LINEAR THERMAL-EXPANSION	EN ISO 10545-8	—	α=6.6x10 ⁻⁶ °C ⁻¹
	RESISTANCE TO THERMAL SHOCKS	EN ISO 10545-9	PASS ACCORDING TO ISO 10545-1	NO DAMAGE
	FROST RESISTANCE	EN ISO 10545-12	PASS ACCORDING TO ISO 10545-1	NO DAMAGE
	RESISTANCE TO CHEMICALS	EN ISO 10545-13	B MIN.	A LA HA
	RESISTANCE TO STAINS	EN ISO 10545-14	DECLARED VALUE	5
	LEAD AND CADMIUM DISCHARGE	EN ISO 10545-15	DECLARED VALUE	< THAN INSTRUMENT LIMIT
	SHADE VARIATION	Range V0-V4	NO REQUIREMENT	V2
	SKID RESISTANCE	DM 236/89 BCRA	> 0,40	0,40
		ASTM C1028	Wet SCOF > 0.60	0,60
		ANSI A1371	Wet DCOF > 0.42	0,42
		AS 4586:2013		P2
		DIN 51130		R9
		DIN 51097		---
		ENV 12633	≥ CL1	---
		UNI EN 13036 - 4:2011	≥ 36	---



SIZES + FORMATS

SIZE	THICKNESS	PALLADIUM	NIMBUS	EXCALIBUR	KING	VENOM	AFTERGLOW	VIRIDIUM	INDIO	PUMPKIN
48" x 110"	6mm	■	■	■	■	■	■			
48" x 48"	9mm	■	■	■	■	■	■			
31 ½" x 31 ½"	9mm	■	■	■	■	■	■			
24" x 48"	9mm	■ ●	■ ●	■ ●	■	■ ●	■	■ ●	■ ●	■
24" x 24"	9mm	■	■	■	■	■	■	■	■	■
12" x 24"	9mm	■ ●	■ ●	■ ●	■	■ ●	■	■ ●	■ ●	■
6" x 24"	9mm	■	■	■	■	■	■	■	■	■
36T Mosaic	9mm	■	■	■	■	■	■	■	■	■
Plume	9mm	■	■	■	■	■	■	■	■	■
Foliage	9mm	■	■	■	■	■	■	■	■	■
3" x 24" Base	9mm	■	■	■	■	■	■	■	■	■
3" x 31.5" Base	9mm	■	■	■	■	■	■	■	■	■
● In Stock ■ Available to Order										

PACKAGING

		6" X 24"	12" X 24"	24" X 24"	24" X 48"	31 ½" X 31 ½"	48" X 48"	48" X 110"	DECORO 24" X 48"
	Thickness	9 mm	9 mm	9 mm	9 mm	9 mm	9 mm	6 mm	6mm
	Surface	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ
	Gross weight per box	26.92	26.18	22.50	32.29	-	61.56	Please refer to TileBar website. www.tilebar.com	
	Pieces for box	14	7	3	2	-	2		
	MQ. box	1.26	1,26	1.08	1.44	-	2.88		
	Boxes per full pallet	40	40	40	35	-	16		
	Pallet	50.40	50,40	43.20	50.40	-	46.08		

888.541.3840 | INFO@TILEBAR.COM

Samples are intended to be a typical representation of the product. Final product may vary.
Sizes are nominal, not actual.



Follow Us On:



888.541.3840
Info@TileBar.com

TileBar Trade
Trade@TileBar.com
888.277.2260

From Outside USA
516.734.0405

SHOWROOM & FULFILLMENT CENTER

NYC
45 West 21st Street,
New York, NY 10010

(212) 256-1540
Showroom@TileBar.com

BALTIMORE
1133 Greenwood Rd.,
Baltimore, MD 21208

(888) 541-3840
DMV@TileBar.com

NJ WAREHOUSE
800 Coopertown Rd,
Delanco, NJ 08075

(888) 541-3840
Info@TileBar.com