



HPD

CERTIFICATION

45 West 23rd Street, New York, NY 10010 | Showroom - 212.256.1540
tilebar.com | info@tilebar.com | Client Services - 888.541.3840

tilebar



tilebar

BASIC TRAVERTINE COLLECTION

CLASSIFICATION: 09 30 13 Ceramic Tiling

PRODUCT DESCRIPTION: Dry-pressed ceramic tiles and stoneware, for internal and external flooring and walls. This Health Product Declaration is representative of all Mariner brand tile collections manufactured by Ceramiche Mariner spa in the following location: Roteglia di Castellarano (RE), Italy.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CERAMIC TILES AND STONWARE SLABS BRAND MARAZZI, BRAND RAGNO [SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN QUARTZ (PRIMARY CASRN IS 14808-60-7) LT-1 | CAN MULLITE (AL6O5(SIO4)2) LT-UNK FELDSPAR LT-UNK | RES CORUNDUM LT-UNK | RES ZIRCONIUM SILICATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

"Ceramic" is regarded as a special condition by HPD Collaborative and not screened. Ceramic tile is considered one component resulting from the reactions inside the high temperature kiln-firing process. No warnings or hazards are associated with the final, finished product.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC emissions: UL/GreenGuard Certified

LCA: Environmental Product Declaration (EPD)

Recycled content: Recycled Content Certification

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-01-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CERAMIC TILES AND STONWARE BRAND MARINER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: The physical and chemical reactions in the kiln-firing process transform 100% of the initial ingredients (water and mineralbased naturally occurring materials) into the final fired tile product and no residuals remain.

OTHER PRODUCT NOTES: The finished product is odorless, non-flammable, do not release hazardous materials after installation, and pose no immediate hazard to health and environment.

SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

#: 55.0000 - 80.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Ceramic body

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

GHS - Japan

Carcinogenicity - Category 1A [H350]

CANCER

GHS - Australia

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

QUARTZ (PRIMARY CASRN IS 14808-60-7)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

#: 10.0000 - 35.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

MULLITE (AL6O5(SIO4)2)

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

#: 2.5000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

FELDSPAR

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

#: 0.0000 - 7.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

CORUNDUM

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

#: 0.0000 - 2.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

ZIRCONIUM SILICATE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

#: **0.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Ceramic body**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range due to variations in product family. Hazard associated with occupational/manufacturing use only. It is not associated with the end use of the final fired product that is purchased, installed, and used by the customer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Self-prepared

CERTIFIER OR LAB: ''

APPLICABLE FACILITIES: Italy

CERTIFICATE URL: <https://cermariner.it>

CERTIFICATION AND COMPLIANCE NOTES: product cooked at a temperature of 1200 °C

VOC EMISSIONS

CERTIFYING PARTY: Self-prepared

CERTIFIER OR LAB:

APPLICABLE FACILITIES: Italy

CERTIFICATE URL: <https://cermariner.it>

CERTIFICATION AND COMPLIANCE NOTES: product cooked at a temperature of 1200 °C

LCA

Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-09-26

EXPIRY DATE: 2022-09-25

CERTIFIER OR LAB: IBU Institut Bauen und Umwelt e.V.

APPLICABLE FACILITIES: Italy

CERTIFICATE URL:

<https://www.ibu-epd.com> / <https://epd-online.com>

CERTIFICATION AND COMPLIANCE NOTES: compliant with ISO 14025 and EN 15804 standards. Certification with six-year renewal

RECYCLED CONTENT

Recycled Content Certification

CERTIFYING PARTY: Self-prepared

ISSUE DATE: 2021-03-23

EXPIRY DATE:

APPLICABLE FACILITIES: Italy

CERTIFICATE URL:

<https://www.cermariner.it>

CERTIFICATION AND COMPLIANCE NOTES: Certification update in case of changes

MANAGEMENT

ISO 14001 Environmental management system

CERTIFYING PARTY: Self-prepared

ISSUE DATE: 2003-07-23

EXPIRY DATE:

APPLICABLE FACILITIES: Italy

CERTIFICATE URL:

<https://www.mariner.it>

CERTIFICATION AND COMPLIANCE NOTES: Certification update in case of changes

MANAGEMENT

ISO 45001 Occupational Health and Safety management system

CERTIFYING PARTY:

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB:

APPLICABLE FACILITIES: Italy

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

MANAGEMENT

ISO 9001 Quality management system

CERTIFICATION AND COMPLIANCE NOTES: Certification with three-year renewal

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVE, MORTAR, GROUT

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Accessory materials required for all installations. VOC content of the adhesive and/or grout varies depending on the type and brand chosen.

Advice for laying and maintenance: for details and installation tutorial video, visit the installation section of the www.cermariner.it site.

Ordinary cleaning: ordinary cleaning removes dirt and marks and restores the surface to its original appearance. Porcelain stoneware tiles do not require protective treatment, and a thorough, systematic clean is sufficient to maintain the surface. Careful cleaning must be done by washing normally using hot water, a cloth or soft sponge and, if required, neutral detergents. For large areas, industrial washing machines can be used, with completion by hand where required.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Ceramiche Mariner spa**
 ADDRESS: **via Fiandre 28**
Castellarano (RE) 42014, Italy
 WEBSITE: **www.cerमारiner.it**

CONTACT NAME: **Pasini Julca**
 TITLE: **Quality Manager**
 PHONE: **00390536858266**
 EMAIL: **j.pasini@cerमारiner.it**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.