



LEED

CERTIFICATION

45 West 23rd Street, New York, NY 10010 | Showroom - 212.256.1540
tilebar.com | info@tilebar.com | Client Services - 888.541.3840

tilebar



SYDNEY COLLECTION

LEED Requirement	Requirement	Documentation
SS Credit Heat island reduction	Use of material with a solar reflectance index (SRI) ≥ 0.33	All light-coloured RAS series tiles contribute to this requirement (1)
MR Credit Supply of raw materials	Material with recycled material content (pre-consumer)	Amount of pre-consumer recycled content (2)
MR Credit Construction and demolition waste management	Separate and recycle waste derived from construction products	All ceramic tiles are recyclable and are classified as INERT material. The cardboard packaging is 100% recyclable.
EQ Low-Emitting Materials	Use of material (inside the building) that meet the criteria of low emissions	Non-VOC emission report (3)

(1) Ceramic tiles with light colors have a Solar Reflectance Index (SRI) equal to or greater than 33, contributing to the reduction of the "heat island effect".

(2) RAS series contain a minimum percentage of pre-consumer recycled material of 60%.

(3) None of the ceramic tiles of the RAS series release VOC's (Volatile Organic Compounds) and therefore do not emit any air pollution, which translates into an increase in Indoor Environmental Quality.



Quality Department
PERONDA GROUP